



CAUTION

DO NOT
OVER
REACH →



DO NOT
STAND
ABOVE
THIS
STEP →

↑
SET ALL FOUR FEET
ON FIRM LEVEL
SURFACE

LOCK SPREADERS
BEFORE CLIMBING

KEEP STEPS DRY AND
CLEAN

WEAR SLIP-
RESISTANT SHOES

KEEP BODY CENTRED
BETWEEN BOTH
SIDERAILS

READ ADDITIONAL
INSTRUCTIONS ON
LADDER

A01

**FIBERGLASS
DOUBLE-SIDED
STEP LADDER**

CLIDS6

Page 48
Height: 2.040 M

ET ALL FO...
N FIRM LEVEL
URFACE

LOCK SPREADERS
BEFORE CLIMBING

KEEP STEPS DRY AND
CLEAN

WEAR SLIP-
RESISTANT SHOES

KEEP BODY CENTRED
BETWEEN BOTH
SIDERAILS

READ ADDITIONAL
INSTRUCTIONS ON
LADDER

A01

**FIBERGLASS
DOUBLE-SIDED
STEP LADDER**

CLIDS6

Height: 2.040 M

Weight: 16.70 kg

**THIS LADDER IS
INDUSTRIAL**

**THIS LADDER
IS INTENDED
TO CARRY A
MAXIMUM
LOAD OF
150 KG**

1	2	3	4	5	6	7	8	9	10	11	12
2017			2018			2019					

**MADE TO AUSTRALIAN
STANDARDS AS/NZS 1892. 3**

CLIMBRITE
LADDERS

CLIDS6



9 345549 005569







