



NO MORE THAN (2) PERSONS MAY BE LIFTED
WEIGHT OF PLATFORM 110KG
THE LOAD INCLUDING PERSONNEL & EQUIPMENT
SHALL NOT EXCEED 250KG
USE ONLY ON INDUSTRIAL TRUCKS HAVING A
CAPACITY OF 1800KG (COUNTERBALANCED) OR
1080KG (REACH AND STRADDLE) AS APPROVED.
DO NOT USE IN PROXIMITY TO LIVE ELECTRICAL
EQUIPMENT
FOR USE ONLY AS APPROVED BY STATE
STATUTORY AUTHORITY



NO MORE THAN (2) PERSONS MAY BE LIFTED.
WEIGHT OF PLATFORM 110KG
THE LOAD INCLUDING PERSONNEL & EQUIPMENT
SHALL NOT EXCEED 250KG.
USE ONLY ON INDUSTRIAL TRUCKS HAVING A
CAPACITY OF 1800KG (COUNTERBALANCED) OR
1080KG (REACH AND STRADDLE) AS APPROVED.
DO NOT USE IN PROXIMITY TO LIVE ELECTRICAL
EQUIPMENT
FOR USE ONLY AS APPROVED BY STATE
STATUTORY AUTHORITY



735 Boundary Road Ph: 07 3277 0877
Richlands 4077
Email: info.au@camattachments.com

MODEL WP-N01

SERIAL No. 19 728

ICG 550

VCG 600

SELF WEIGHT 110 KG

LOST LOAD _____ MM

LOAD RATING 250 KG

LOAD CENTRE 600 MM

DATE 07/07/21

PN. 04351

“WARNING: actual load maybe restricted
by reference to the capacity of the truck.”







HILUX
2.7 V4i
Work
Mate





closure log

Section 47 (b) (5)





**Reardon's
Towing
& Transport**
INTERSTATE & LOCAL
TOWING
Call Rod
0414 766 118

OIP Disclosure 10/09